

Références bibliographiques

- André, X., 1986. Elaboration et analyse de cartes bathymétriques détaillées du proche plateau vendéo-charentais (Golfe de Gascogne). Reconstitution des paléorivages de la transgression holocène. Doctorat Thesis, Bordeaux I, Bordeaux, 274 pp.
- Barral, M.T., Arias, M., Guerif, J., 1998. Effects of iron and organic matter on the porosity and structural stability of soil aggregates. *Soil Till. Res.*, 46, 261-272.
- Bazylinski, D.A., 1996. Controlled biomineralization of magnetic minerals by magnetotactic bacteria. *Chemical Geology*, 132, 191-198.
- Bazylinski, D.A., Frankel, R.B., Heywood, B.R., Mann, S., King, J.W., Donaghay, P.L., Hanson, A.K., 1995. Controlled biomineralization of magnetite (Fe₃O₄) and greigite (Fe₃S₄) in a magnetotactic bacterium. *Applied and Environmental Microbiology*, 61, 3232-3239.
- Bazylinski, D.A., Garratt-Reed, A.J., Frankel, R.B., 1994. Electron microscopic studies of magnetosomes in magnetotactic bacteria. *Microscopy Research and Technique*, 27, 389-401.
- Becker, H., 1995. From nanotesla to picotesla - a new window for magnetic prospecting in archaeology. *Archaeol. Prospection*, 2, 217-228.
- Bhattacharyya, B.K., Navolio, M.E., 1976. A fast Fourier Transform method for rapid computation of gravity and magnetic anomalies due to arbitrary bodies. *Geophys. Prospect.*, 24, 633-649.
- Bourguet, B., 1995. Datation au radiocarbone de niveaux tourbeux holocènes du marais de Rochefort (Charente-Maritime). Variation du niveau marin au cours du 9^{ème} millénaire (BP). *Géologie de la France*, 1, 77-80.
- Bourguet, B., Moreau, P., Gabet, C., L'Homer, A., Vouvé, J., 1972. Notice explicative de la carte géologique de Rochefort à 1/50000. BRGM, Orléans, France.
- Bowers, R.J., Bidwell, B.A., 1999. Geophysics and UXO detection. *The Leading Edge*, 18, 1389-1391.
- Breiner, S., 1984. A magnetic survey for buried 3000 year old basalt monuments in Mexico, 54th annual meeting of Society of Exploration Geophysicists. SEG Abstracts, Tulsa, OK, United States, pp. 179-182.
- Breiner, S., 1999. Applications manual for portable magnetometer, Geometrics, Inc., Sunnyvale, California, 58 pp.
- Brown, D.A., Sherriff, B.L., Sawicki, J.A., Sparling, R., 1999. Precipitation of iron minerals by a natural microbial consortium. *Geochim. Cosmochim. Acta*, 63, 2163-2169.
- Buckheit, J.B., Chen, S., Donoho, D.L., Johnstone, I.M., Scargle, J.D., 1995. WaveLab reference manual, <http://www-stat.stanford.edu/~wavelab/ftp/WaveLabRef.ps.Z>.
- Canillas, E.C., Salokhe, V.M., 2002. Modeling compaction in agricultural soils. *J. Terramech.*, 39, 71-84.

- Clark, D.A., 1984. Hysteresis properties of sized dispersed monoclinic pyrrhotite grains. *Geophys. Res. Lett.*, 11, 173-176.
- Collinson, D.W., 1983. *Methods in rock magnetism and paleomagnetism: techniques and instrumentation*. Chapman and Hall, London, 503 pp.
- Cornell, R.M., Schwertmann, U., 1996. *The Iron Oxides. Structure, Properties, Reactions, Occurrence and Uses*. VCH, Weinheim, 573 pp.
- Coron, C.R., Sams, R.D., 1998. Peak precipitation-related contaminant surge from buried waste drums, Bumpass Cove, 30th annual meeting of Geological Society of America, Boulder, CO, United States, pp. 183.
- De Boer, C.B., Dekkers, M.J., 1996. Grain-size dependence of the rock magnetic properties for a natural maghemite. *Geophys. Res. Lett.*, 23, 2815-2818.
- Dearing, J.A., 1994. *Environmental magnetic susceptibility : using the Bartington MS2 system*. Chi Publishing, Kenilworth, UK, 104 pp.
- Dearing, J.A., Hay, K.L., Baban, S.M.J., Huddleston, A.S., Wellington, E.M.H., Loveland, P.J., 1996. Magnetic susceptibility of soil: an evaluation of conflicting theories using a national data set. *Geophys. J. Int.*, 127, 728-734.
- Dekkers, M.J., 1988. Magnetic properties of natural pyrrhotite Part I: Behaviour of initial susceptibility and saturation-magnetization-related rock- magnetic parameters in a grain-size dependent framework. *Phys. Earth Planet. Inter.*, 52, 376-393.
- Dong, H., Fredrickson, J.K., Kennedy, D.W., Zachara, J.M., Kukkadapu, R.K., Onstott, T.C., 2000. Mineral transformation associated with the microbial reduction of magnetite. *Chemical Geology*, 169, 299-318.
- Du Gardin, B., Grimaldi, M., Lucas, Y., 2002. Effets de la déshydratation sur les sols du système ferralsol-podzol d'Amazonie centrale. Reconstitution de la courbe de désorption d'eau à partir de la porosimétrie mercure. *Bull. Soc. géol. France*, 173, 113-128.
- Du Tremolet de Lacheisserie, E., 1999. *Magnétisme, matériaux et applications*. Presses Universitaires de Grenoble, 510 pp.
- Dunlop, D.J., Ozdemir, O., 1997. *Rock Magnetism - Fundamentals and frontiers*. Cambridge Studies in Magnetism. Cambridge University Press, 573 pp.
- Durza, O., 1994. Magnetic susceptibility and heavy metals in the surroundings of the VSZ Kosice dry refuse heap. *Acta Univ. Carol., Geol.*, 38, 65-71.
- Durza, O., 1999. Heavy Metals Contamination and Magnetic Susceptibility in Soils Around Metallurgical Plant. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 24, 541-543.
- Durza, O., Gregor, T., Antalova, S., 1993. The effect of the heavy metals soil contamination on the magnetic susceptibility. *Acta Univ. Carol., Geol.*, 37, 135-143.

- Fassbinder, J.W., Stanjek, H., Vali, H., 1990. Occurrence of magnetic bacteria in soil. *Nature*, 343, 161-163.
- Faucherre, N., Faux, E., 2003. Essai de cartographie d'un marais salant médiéval. Les salines de Voutron (Xe-XIe siècles). *Roccafotis*, 5, 133-138.
- Fiès, J.C., 1984. Analyse de la répartition du volume des pores dans les assemblages argile-squelette : comparaison entre un modèle d'espace poral textural et les données fournies par la porosimétrie au mercure. *Agronomie*, 4, 891-899.
- France, D.E., Oldfield, F., 2000. Identifying goethite and hematite from rock magnetic measurements of soils and sediments. *J. Geophys. Res.*, 105, 2781-2795.
- Frankel, R.B., 1987. Anaerobes pumping iron. *Nature*, 330, 208.
- Frankel, R.B., Bazylinski, D.A., Schuler, D., 1998b. Biomineralization of magnetic iron minerals in bacteria. *Supramol. Sci.*, 5, 383-390.
- Frankel, R.B., Blakemore, R.P., Wolfe, R.S., 1979. Magnetite in freshwater magnetic bacteria. *Science*, 203, 1355-1357.
- Frankel, R.B., Zhang, J.-P., Bazylinski, D.A., 1998a. Single magnetic domains in magnetotactic bacteria. *Journal of Geophysical Research B: Solid Earth*, 103, 601-604.
- Fredrickson, J.K., Zachara, J.M., Kennedy, D.W., Dong, H., Onstott, T.C., Hinman, N.W., Li, S.-M., 1998. Biogenic iron mineralization accompanying the dissimilatory reduction of hydrous ferric oxide by a groundwater bacterium. *Geochim. Cosmochim. Acta*, 62, 3239-3257.
- Garambois, S., Dietrich, M., 2001. Seismoelectric wave conversions in porous media: Field measurements and transfer function analysis. *Geophysics*, 66, 1417-1430.
- Garambois, S., Dietrich, M., 2002. Full waveform numerical simulations of seismoelectromagnetic wave conversions in fluid-saturated stratified porous media. *J. Geophys. Res.*, 107, 5-1-5-18.
- Geometrics, 1995. G-858 Magmapper. Operation manual. 25309-OM Rev.B, Geometrics, Inc., Sunnyvale, California, 117 pp.
- Gobat, M., Aragno, M., Matthey, W., 1998. *Le sol vivant*. Collection Gérer l'Environnement. Presses Polytechniques et Universitaires Romandes, Lausanne, 519 pp.
- Good, R.J., 1984. The contact angle of mercury on the internal surface of porous bodies. A foot note to D.N. Winslow's review of porosimetry. *Surf. Coll. Sci.*, 13, 283-287.
- Haartsen, M.W., Pride, S.R., 1997. Electro seismic waves from point sources in layered media. *J. Geophys. Res.*, 102, 24745-24769.
- Halgedahl, S.L., 1998. Revisiting the Lowrie-Fuller test: alternating field demagnetization characteristics of single-domain through multidomain glass-ceramic magnetite. *Earth Planet. Sci. Lett.*, 160, 257-271.
- Hanesch, M., Petersen, N., 1999. Magnetic properties of a recent parabrown-earth from Southern Germany. *Earth Planet. Sci. Lett.*, 169, 85-97.

- Hanzlik, M., Winklhofer, M., Petersen, N., 1996. Spatial arrangement of chains of magnetosomes in magnetotactic bacteria. *Earth Planet. Sci. Lett.*, 145, 125-134.
- Hartstra, R.L., 1982. A comparative study of the ARM and Isr of some natural magnetites of MD and PSD grain size. *Geophys. J.R. Astron. Soc.*, 71, 497-518.
- Herbauts, J., El Bayad, J., Gruber, W., 1996. Influence of logging traffic on the hydromorphic degradation of acid forest soils developed on loessic loam in middle Belgium. *For. Ecol. Man.*, 87, 193-207.
- Hoffmann, V., Knab, M., Appel, E., 1999. Magnetic susceptibility mapping of roadside pollution. *Journal of Geochemical Exploration*, 66, 313-326.
- Hunt, C.P., Moskowitz, B.M., Banerjee, S.K., 1995. Magnetic properties of rocks and minerals, *Rock Physics and Phase Relations, a Handbook of Physical Constants*. AGU Reference Shelf, pp. 189-204.
- Jolivet, J.P., Tronc, E., Chanéac, C., 2000. Synthesis of iron oxide- and metal-based nanomaterials. *Eur. Phys. J. Appl. Physics*, 10, 167-172.
- Kapicka, A., Petrovsky, E., Ustjak, S., Machackova, K., 1999. Proxy mapping of fly-ash pollution of soils around a coal-burning power plant: a case study in the Czech Republic. *Journal of Geochemical Exploration*, 66, 291-297.
- Karakelian, D., Beroza, G.C., Klemperer, S.L., Fraser-Smith, A.C., 2002. Analysis of Ultralow-Frequency Electromagnetic Field Measurements Associated with the 1999 M 7.1 Hector Mine, California, Earthquake Sequence. *Bull. Seismol. Soc. Am.*, 92, 1513-1524.
- Konhauser, K.O., 1997. Bacterial iron biomineralisation in nature. *FEMS Microbiology Reviews*, 20, 315-326.
- Konhauser, K.O., 1998. Diversity of bacterial iron mineralization. *Earth-Science Reviews*, 43, 91-121.
- La Femina, P.C., 1998. From Borobudur to bicycles : geophysical surveys on foot and by wheel. *GPS World*, 9, 36-43.
- Lafond, R., Verger, F., 1965. Minéralogie des argiles du littoral et des rivières du marais poitevin. *C. R. Acad. Sci.*, 260, groupe 9.
- Lanson, B., 1993. DECOMPXR, X-ray decomposition program. ERM, Poitiers, France.
- Lanson, B., Champion, D., 1991. The I/S-to-illite reaction in the late stage diagenesis. *Amer. J. Sci.*, 291, 473-506.
- Laporte, L., Darteville, H., Petitot, H., Tastet, J.-P., Toledo i Mur, A., 1998. L'estuaire de la Charente de la Protohistoire au Moyen-Age. *Documents d'Archéologie Française*. Maison des Sciences de l'Homme, Paris, 228 pp.
- Laroche, M.C., Benech, C., Florsch, N., Guyot, I., 1998. Prospections électrique et magnétique à Apamée de l'Euphrate. *Archéologia*, 343, 34-35.
- Le Borgne, E., 1955. Susceptibilité magnétique anormale du sol superficiel. *Ann. Geophys.*, 11, 399-419.

- Le Borgne, E., 1960. Influence du feu sur les propriétés magnétiques du sol et sur celles du schiste et du granite. *Ann. Geophys.*, 16, 159-195.
- Lecoanet, H., 2000. Retombées métalliques sur les sols de la région Fos - Berre (sud de la France) : Approche magnétique et géochimique appliquée à la discrimination des sources d'émission. Thèse de Doctorat, Aix - Marseille III, Aix-en-Provence.
- Lecoanet, H., Lévêque, F., Ambrosi, J.-P., 2001. Magnetic properties of salt-marsh soils contaminated by iron industry emissions (southeast France). *J. Appl. Geoph.*, 48, 67-81.
- Lecoanet, H., Lévêque, F., Segura, S., 1999. Magnetic susceptibility in environmental applications: comparison of field probes. *Phys. Earth Planet. Inter.*, 115, 191-204.
- Lee, J.H., Peacor, D.R., Lewis, D.D., Wintsch, R.P., 1984. Chlorite-illite/muscovite interlayered and interstratified crystals : a TEM/STEM study. *Contrib. Mineral. Petrol.*, 88, 372-385.
- Lipiec, J., Hatano, R., 2003. Quantification of compaction effects on soil physical properties and crop growth. *Geoderma*, 116, 107-136.
- Lovley, D.R., 1997. Microbial Fe(III) reduction in subsurface environments. *FEMS Microbiology Reviews*, 20, 305-313.
- Lowrie, W., 1990. Identification of ferromagnetic minerals in a rock by coercivity and unblocking temperature properties. *Geophys. Res. Lett.*, 17, 159-162.
- Maher, B.A., 1986. Characterisation of soils by mineral magnetic measurements. *Phys. Earth Planet. Inter.*, 42, 76-92.
- Maher, B.A., 1998. Magnetic properties of modern soils and quaternary loessic paleosols: Paleoclimatic implications. *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 137, 25-54.
- Maher, B.A., Taylor, R.M., 1988. Formation of ultrafine-grained magnetite in soils. *Nature*, 336, 368-370.
- Majzlan, J., Grevel, K.-D., Navrotsky, A., 2003. Thermodynamics of Fe oxides: Part II. Enthalpies of formation and relative stability of goethite (α -FeOOH), lepidocrocite (γ -FeOOH), and maghemite (γ -Fe₂O₃). *Am. Mineral.*, 88, 855-859.
- Mathé, P.-E., 1996. Application du paléomagnétisme et du magnétisme des roches à l'étude des processus d'altération supergène. Thèse de Doctorat, Aix-Marseille III, Aix-en-Provence, 212 pp.
- Mathé, V., Lévêque, F., 2003. High resolution magnetic survey for soil monitoring: detection of drainage and soil tillage effects. *Earth Planet. Sci. Lett.*, 212, 241-251.
- Mathé, V., Lévêque, F., soumis-c. Detection of mineralogical changes by trace magnetic minerals: example of a recent clayey soil from West France Marshlands. *Eur. J. Soil Sci.*
- Mathé, V., Lévêque, F., Mathé, P.-E., Chevallier, C., Pons, Y., soumis-a. Soil magnetic micro-anomalies: limits of experimental resolution. *J. Appl. Geoph.*
- Mathé, V., Meunier, A., Lévêque, F., soumis-b. Clay evolution in recent clayey soils. *Terra Nova*.

- McClelland, E., Goss, C., 1993. Self reversal of chemical remanent magnetization on the transformation of maghemite to haematite. *Geophys. J. Int.*, 112, 517-532.
- McGovern, P., 1979. The Baq'ah Valley, Jordan ; a cesium magnetometer survey. *Museum Applied Science Center for Archaeology Journal*, 2, 39-41.
- Meloni, A., Mele, G., Palangio, P., 1998. Tectonomagnetic field observations in central Italy 1989-1995. *Phys. Earth Planet. Inter.*, 105, 145-152.
- Menghini, A., Pagano, G., Floris, S., 1999. A geophysical survey in the center of Rome. *The Leading Edge*, 18, 778-781.
- Miller, G.F., Pursey, H., 1955. On the partition of the energy between elastic waves in a semi infinite solid. *Proceeding of the Royal Society, London, Serie A*, 233, 55-69.
- Moore, D.M., Reynolds Jr, R.C., 1989. X-ray diffraction and the identification and analysis of clay minerals. Oxford University Press, Oxford, New York.
- Morel, R., 1996. *Les sols cultivés*. Lavoisier Technique et Documentation, Paris, 389 pp.
- Morizet, J., Dejou, J., Guyot, J., 1970. Principales caractéristiques physico-chimiques des sols de types vertique et sodique dans le marais rochefortais à St Laurent de la Prée (Charente Maritime). *Bull. AFES Sci. Sol*, 5, 11-24.
- Moskowitz, B.M., Frankel, R.B., Bazylinski, D.A., 1993. Rock magnetic criteria for the detection of biogenic magnetite. *Earth & Planetary Science Letters*, 120, 283-300.
- Moskowitz, B.M., Frankel, R.B., Bazylinski, D.A., Jannasch, H.W., Lovley, D.R., 1989. A comparison of magnetite particles produced anaerobically by magnetotactic and dissimilatory iron-reducing bacteria. *Geophys. Res. Lett.*, 16, 665-668.
- Mueller, R.J., Johnston, M.J.S., 1998. Review of magnetic field monitoring near active faults and volcanic calderas in California: 1974-1995. *Phys. Earth Planet. Inter.*, 105, 131-144.
- Myers, C., Neelson, K.H., 1990. Respiration-linked proton translocation coupled to anaerobic reduction of manganese(IV) and iron(III) in *Shewanella putrefaciens* MR-1. *J. Bacteriol.*, 172, 6232-6238.
- Neubauer, W., 2001. Images of the invisible-prospection methods for the documentation of threatened archaeological sites. *Naturwissenschaften*, 88, 13-24.
- Neubauer, W., Melichar, P., Eder-Hinterleitner, A., 1996. Collection, visualization and simulation of magnetic prospection data. In: H.K.a.K. Fennema (Ed.), *Computer Applications and Quantitative Methods in Archaeology CAA95*. *Analecta Praehistorica Leidensa* 28. University of Leiden, pp. 121-129.
- Ouattara, B., Sédogo, M.P., Assa, A., Lompo, F., Ouattara, K., Fortier, M., 1998. Modification de la porosité du sol après trente-trois années de labour d'enfouissement du fumier au Burkina Faso. *Cahiers Agricultures*, 7, 9-14.
- Ozdemir, O., Dunlop, D.J., 1993. Chemical remanent magnetization during $[\gamma]$ -FeOOH phase transformations. *J. Geophys. Res.*, 98, 4191-4198.

- Ozdemir, O., Dunlop, D.J., Moskowitz, B.M., 1993. The effect of oxidation on the Verwey transition in magnetite. *Geophys. Res. Lett.*, 20, 1671-1674.
- Parasnis, D.S., 1997. *Principles of Applied Geophysics*. Chapman & Hall, London, 429 pp.
- Passier, H.F., De Lange, G.J., Dekkers, M.J., 2001. Magnetic properties and geochemistry of the active oxidation front and the youngest sapropel in the eastern Mediterranean sea. *Geophys. J. Int.*, 145, 604-614.
- Pawlowski, A., 1901. *Le golfe du Poitou, Géographie historique des côtes charentaises*. Le Croît vif, 1998, pp. 7-30.
- Pelmont, J., 1996. *Bacteries et environnement. Adaptations physiologiques*. Collection Grenoble Sciences. Presses Universitaires de Grenoble.
- Petrovsky, E., Ellwood, B.B., 1999. Magnetic monitoring of air-, land- and water-pollution. In: B.A. Maher and R. Thompson (Eds.), *Quaternary Climates, Environments and Magnetism*. Cambridge University Press, Cambridge, pp. 279-322.
- Petrovsky, E., Kapicka, A., Jordanova, N., Knab, M., Hoffmann, V., 2000. Low-field magnetic susceptibility: A proxy method of estimating increased pollution of different environmental systems. *Environmental Geology*, 39, 312-318.
- Pierce, C.J.J., Everett, M.E., Carter, J.L., Moore, M., Bright, R., 2001. Magnetics as tool for urban site characterization, Shreveport Convention Center, Louisiana, Geological Society of America Annual Meeting, Boston, Massachusetts.
- Pons, Y., Capillon, A., Cheverry, C., 2000. Water movement and stability of profiles in drained, clayey and swelling soils: at saturation, the structural stability determines the profile porosity. *Eur. J. Agronomy*, 12, 269-279.
- Pride, S.R., 1994. Governing equations for the coupled electromagnetics and acoustics of porous media. *Phys. Rev. B*, 50, 15678-15696.
- Pride, S.R., Haartsen, M.W., 1996. Electrostatic wave properties. *J. Acoust. Soc. Am.*, 100, 1301-1315.
- Revil, A., Pezard, P.A., Glover, P.W.J., 1999a. Streaming potential in porous media. 1. Theory of the zeta-potential. *J. Geophys. Res.*, 104, 20021-20031.
- Revil, A., Schwaeger, H., Cathles, L.M., Manhardt, P., 1999b. Streaming potential in porous media. 2. Theory and application to geothermal systems. *J. Geophys. Res.*, 104, 20033-20048.
- Reynolds, R.C., 1985. Description of program NEWMOD for the calculation of the one-dimensional X-ray diffraction patterns of mixed-layered clays, Hanover, New Hampshire, USA.
- Richard, G., Boizard, H., Roger-Estrade, J., Boiffin, J., Guerif, J., 1999. Field study of soil compaction due to traffic in northern France: pore space and morphological analysis of the compacted zones. *Soil Till. Res.*, 51, 151-160.
- Richard, G., Cousin, I., Sillon, J.F., Bruand, A., Guérifa, J., 2001. Effect of compaction on the porosity of a silty soil : influence on unsaturated hydraulic properties. *Eur. J. Soil Sci.*, 52, 49-58.

- Righi, D., Velde, B., Meunier, A., 1995. Clay stability in clay-dominated soil systems. *Clay Miner.*, 30, 45-54.
- Roberts, A.P., 1995. Magnetic properties of sedimentary greigite (Fe₃S₄). *Earth Planet. Sci. Lett.*, 134, 227-236.
- Roberts, W.P., Coron, C.R., Crocker, M.C., 1996. Combined traditional mapping and environmental field camp, Stephen F. Austin State University, Nacogdoches, Texas, 28th annual meeting of Geological Society of America, Boulder, CO, United States, pp. 204-205.
- Robinson, S.G., 2001. Early diagenesis in an organic-rich turbidite and pelagic clay sequence from the Cape Verde Abyssal Plain, NE Atlantic: magnetic and geochemical signals. *Sedimentary Geology*, 143, 91-123.
- Romero de Carcalho, S., Bruand, A., Hardy, M., Leprun, J.C., Jamagne, M., 1991. Tassement des sols ferrallitiques podzolico vermelho amarelo sous culture de canne à sucre (Etat de Rio de Janeiro, Brésil) - Apport d'une analyse de la porosité associée à une connaissance détaillée de la phase minérale. *Cahiers de l'Orstom*, 26, 195-212.
- Schibler, L., Boyko, T., Ferdyn, M., Gajda, B., Holl, S., Jordanova, N., Rosler, W., Team, M., 2002. Topsoil magnetic susceptibility mapping: Data reproducibility and compatibility, measurement strategy. *Stud. Geophys. Geod.*, 46, 43-57.
- Scholger, R., 1998a. Standardization of magnetic susceptibility measurements: calibration of laboratory and field instruments. *Ann. Geophys.*, Suppl. I, C218.
- Scholger, R., 1998b. Heavy metal pollution monitoring by magnetic susceptibility measurements applied to sediments of the river Mur (Styria, Austria). *Eur. J. Environ. Eng. Geophys.*, 3, 25-37.
- Schuler, D., 1999. Formation of magnetosomes in magnetotactic bacteria. *Journal of Molecular Microbiology and Biotechnology*, 1, 79-86.
- Schwartz, M., Lund, S.P., Hammond, D.E., Schwartz, R., Wong, K., 1997. Early sediment diagenesis on the Blake/Bahama Outer Ridge, North Atlantic Ocean, and its effects on sediment magnetism. *J. Geophys. Res.*, 102, 7903-7914.
- Scollar, I., Tabbagh, A., Hesse, A., Herzog, I., 1990. Archaeological prospecting and remote sensing. *Topics in remote sensing*, 2. Cambridge University Press, Cambridge, 674 pp.
- Singer, M.J., Fine, P., 1989. Pedogenic factors affecting magnetic susceptibility of Northern Californian soils. *Soil Sci. Soc. Am. J.*, 53, 1119-1127.
- Smith, K., 1997. Cesium optically pumped magnetometers. Basic theory of operation. Technical report M-TR91, Geometrics, Inc., Sunnyvale, California, 8 pp.
- Snowball, I., Thompson, R., 1990. A stable chemical remanence in Holocene sediments. *J. Geophys. Res.*, 95, 4471-4479.
- Sparvoli, E., Ristori, G.G., D'Acqui, L., 1989. Clay soils porosity in relation to water content. Influence of clay type and cements on their structural stability. *C. R. Acad. Sci.*, 308, 327-333.

- Straub, K.L., Benz, M., Schink, B., 2001. Iron metabolism in anoxic environments at near neutral pH. *FEMS Microbiology Ecology*, 34, 181-186.
- Strzyszcz, Z., Magiera, T., 2001. Record of industrial pollution in Polish ombrotrophic peat bogs. *Physics and Chemistry of the Earth, Part A: Solid Earth and Geodesy*, 26, 859-866.
- Surkov, V.V., Molchanov, O.A., Hayakawa, M., 2003. Pre-earthquake ULF electromagnetic perturbations as a result of inductive seismomagnetic phenomena during microfracturing. *J. Atmos. Sol.-Terr. Phys.*, 65, 31-46.
- Swanson, J., 1995. Magnetic fields from transmission lines : comparison of calculations and measurements. *IEE Proc.-Gener. Transm. Distrib.*, 142, 481-486.
- Telford, W.M., Geldart, L.P., Sheriff, R.E., 1990. *Applied geophysics*. 2nd edition. Cambridge University Press.
- Thompson, A.H., Gist, G.A., 1993. Geophysical applications of electrokinetic conversion. *The Leading Edge*, 12, 1169-1173.
- Thompson, R., Oldfield, F., 1986. *Environmental Magnetism*. Allen & Unwin, London, 227 pp.
- Velde, B., Church, T., 1999. Rapid clay transformations in Delaware salt marshes. *Appl. Geochem.*, 14, 559-568.
- Verger, F., 1960. Observations sur les sols du Marais poitevin occidental. *Bull. Assoc. Géogr. Fr.*, 290-291, 87-96.
- Verger, F., 1968. *Marais et wadden du littoral français*. Biscaye Frères, Bordeaux, 541 pp.
- Verosub, K.L., Roberts, A.P., 1995. Environmental magnetism: past, present, and future. *J. Geophys. Res.*, 100, 2175-2192.